

American Nurse Today

November 2013 references

Acute traumatic coagulopathy: The latest intervention strategies

Borgman MA, Spinella PC, Holcomb JB, et al. The effect of FFP:RBC ratio on morbidity and mortality in trauma patients based on transfusion prediction score. *Vox Sang*. 2011;101(1):44-54.

Brohi K, Singh J, Heron, M Coats T. Acute traumatic coagulopathy. *J Trauma*. 2003;54(6):1127-30.

Burman S, Cotton BA. Trauma patients at risk for massive transfusion: the role of scoring systems and the impact of early identification on patient outcomes. *Expert Rev Hematol*. 2012;5(2):211-18.

Callcut RA, Cotton BA, Muskat P, et al.; PROMMTT Study Group. Defining when to initiate massive transfusion: a validation study of individual massive transfusion triggers in PROMMTT patients. *J Trauma Acute Care Surg*. 2013;74(1):59-68.

Cohen MJ. Towards hemostatic resuscitation: the changing understanding of acute traumatic biology, massive bleeding, and damage-control resuscitation. *Surg Clin North Am*. 2012;92(4):877-91.

Curry N, Davis PW. What's new in resuscitation strategies for the patient with multiple trauma? *Injury*. 2012;43(7):1021-8.

Gruen RL, Brohi K, Schreiber M, et al. Haemorrhage control in severely injured patients. *Lancet*. 2012;380(9847):1099-108.

Ho AM, Dion PW, Yeung JH, et al. Fresh frozen plasma transfusion strategy in trauma with massive and ongoing bleeding. Common (sense) and sensibility. *Resuscitation*. 2010;81(9):1079-81.

Kautza BC, Cohen MJ, Cuschieri J, et al.; Inflammation and the Host Response to Injury Investigators. Changes in massive transfusion over time: an early shift in the right direction? *J Trauma Acute Care Surg*. 2012;72(1):106-11.

Riskin DJ, Tsai TC, Riskin L, et al. Massive transfusion protocols: the role of aggressive resuscitation versus product ratio in mortality reduction. *J Am Coll Surg*. 2009;209(2):198-205.

Spinella PC, Holcomb JB. Resuscitation and transfusion principles for traumatic hemorrhagic shock. *Blood Rev*. 2009;23(6):231-40.

Building a strong shared governance foundation

Christman L. The autonomous nursing staff in the hospital. *Nurs Admin Q*. 1976;1(1):37-44.

Shrady N. *Tilt: A Skewed History of the Tower of Pisa*. New York, NY: Simon & Schuster; 2003.

Mastering the art of meetings

How to lead effective meetings. University of Wisconsin-Madison Office of Quality Improvement. Last updated June 20, 2013. <http://quality.wisc.edu/effective-meetings.htm>. Accessed August 22, 2013.

Hyatt M. Seven rules for more effective meetings. June 2011. <http://michaelhyatt.com/seven-rules-for-more-effective-meetings.html>. Accessed August 22, 2013.

LaForce T. Meeting evaluation: Don't make the same mistakes twice. September 2012. <http://tomlaforce.com/evaluate-your-meetings>. Accessed August 22, 2013.

McNamara C. Guidelines to conducting effective meetings. <http://managementhelp.org/misc/meeting-management.htm>. Accessed August 22, 2013.

Why do we hold meetings? HR.BLR.com. 2011. <https://hr.blr.com/HR-news/Staffing-Training/Employee-Manager-Training/Why-Do-We-Hold-Meetings>. Accessed September 12, 2013.

Prescription opioids: A growing epidemic of abuse

Briggs WP, Magnus VA, Lassiter P, et al. Substance use, misuse, and abuse among older adults: implications for clinical mental health counselors. *J Ment Health Couns*. 2011;33(2):112-27.

Centers for Disease Control and Prevention. Vital signs: Overdoses of prescription opioid pain relievers; United States, 1999—2008. www.cdc.gov/mmwr/preview/mmwrhtml/mm6043a4.htm?s_cid=mm6043a4_w. Accessed September 25, 2013.

Fishbain DA, Cole B, Lewis J, et al. What percentage of chronic nonmalignant pain patients exposed to chronic opioid analgesic therapy develop abused/addiction and/or aberrant drug-related behaviors? A structured evidence-based review. *Pain Med*. 2008;9(4):444-59.

Fleming MF, Balousek SL, Klessig CL, et al. Substance use disorders in a primary care sample receiving daily opioid therapy. *J Pain*. 2007;8(7):573-82.

Foundation for a Drug-Free World. The truth about prescription drug abuse: International statistics. www.drugfreeworld.org/drugfacts/prescription/abuse-international-statistics.html. Accessed September 25, 2013.

Gordon AJ, Kunins HV, Rastegar DA, et al. Update in addiction medicine for the generalist. *J Gen Intern Med*. 2011;26(1):77-82.

Johnston LD, O'Malley PM, Bachman JG, et al. Monitoring the future: national results on adolescent drug use; overview of key findings. Bethesda, MD: National Institute on Drug Abuse; 2008

Patrick SW, Schumacher RE, Benneyworth BD, et al. Neonatal abstinence syndrome and associated health care expenditures: United States, 2000-2009. *JAMA*. 2012;307(18):1934-40.

U.S. Department of Health and Human Services. Results from the 2010 NSDUH: Summary of national findings. www.samhsa.gov/data/NSDUH/2k10NSDUH/2k10Results.htm. Accessed September 26, 2013.

Promoting health-behavior change in patients

Daley LK, Fish AF, Frid DJ, Mitchell GL. Stage-specific education/counseling intervention in women with elevated blood pressure. *Prog Cardiovasc Nurs*. 2009;24(2):45-52.

Kelly CW. Commitment to health: a predictor of dietary change. *J Clin Nurs*. 2011;20(19-20):2830-6.

Prochaska JO, Johnson S, Lee P. The transtheoretical model of behavior change. In: Shumaker SA, Ockene JK, Riekert KA, eds. *The Handbook of Health Behavior Change*. 3rd ed. New York, NY: Springer Publishing; 2009:59-84.

Prochaska JO, Velicer WF. The transtheoretical model of health behavior change. *Am J Health Promot*. 1997;12(1):38-48.

Quantum relationships: Time is *not* of the essence

Hendrich A, Chow MP, Lu Z. A 36-hospital time and motion study: how do medical-surgical nurses spend their time? *Perm J*. 2008; 12(3):25-34.

Westbrook JI, Duffield C, Li L, Creswick NJ. How much time do nurses have for patients? A longitudinal study quantifying hospital nurses' patterns of task time distribution and interactions with health professionals. *BMC Health Serv Res*. 2011;11:319.

Recognizing, preventing, and troubleshooting central-line complications

American Society for Parenteral and Enteral Nutrition. Safe practices for PN. 2004.

[www.nutritioncare.org/Professional Resources/Guidelines and Standards/Safe Practices/Safe Practices PN Introduction/](http://www.nutritioncare.org/Professional_Resources/Guidelines_and_Standards/Safe_Practices/Safe_Practices_PN_Introduction/). Accessed August 28, 2013.

Berghaus TM, von Scheidt W, Schwaiblmair M. Time between first symptoms and diagnosis in patients with acute pulmonary embolism: Are patients with recurrent episodes diagnosed earlier? *Clin Res Cardiol*. 2011;100(2):117-9.

Carson JL, Grossman BJ, Kleinman S, et al.; Clinical Transfusion Medicine Committee of the AABB. Red blood cell transfusion: A clinical practice guideline from the AABB. *Ann Intern Med*. 2012;157(1):49-58.

Centers for Disease Control and Prevention. Central line-associated bloodstream infection (CLABSI). Last updated May 17, 2012. www.cdc.gov/hai/bsi/bsi.html. Accessed August 20, 2013.

Centers for Disease Control and Prevention. Handwashing: Clean hands save lives. Last updated January 11, 2013. www.cdc.gov/handwashing. Accessed August 20, 2013.

Cummings-Winfield C, Mushani-Kanji T. Restoring patency to central venous access devices. *Clin J Oncol Nurs*. 2008;12(6):925-34.

Evans RS, Sharp JH, Linford LH, et al. Risk of symptomatic DVT associated with peripherally inserted central catheters. *Chest*. 2010;138(4):803-10.

Food and Drug Administration. Center for Devices and Radiological Health. Reminders from FDA regarding ruptured vascular access devices from power injection. Last updated March 21, 2013. www.fda.gov/MedicalDevices/Safety/AlertsandNotices/TipsandArticlesonDeviceSafety/ucm070193.htm. Accessed August 20, 2013.

Infusion Nurses Society. Infusion Nursing Standards of Practice. *J Infusion Nurs*. 2011;34(1S):S1-S109.

Institute for Healthcare Improvement. How-to guide: Prevent central line-associated bloodstream infection. Last modified March 27, 2012.
www.ihl.org/knowledge/Pages/Tools/HowtoGuidePreventCentralLineAssociatedBloodstreamInfection.aspx. Accessed August 28, 2013.

Lambeth L, Goyal A, Tadros A, Asadoorian M, Roberts AC, Karimi A. Peripherally inserted central catheter tip malposition caused by power contrast medium injection. *J Vasc Interv Radiol*. 2012;23(7):981-3.

McNair PD, Luft HS. Enhancing Medicare's hospital-acquired conditions policy to encompass readmissions. *Medicare & Medicaid Research Review*. 2012;2(2):E1-E15.
www.cms.gov/mmrr/Articles/A2012/mmrr-2012-002-02-a03.html. Accessed August 20, 2013.

Mermel LA, Allon M, Bouza E, et al. Clinical practice guidelines for the diagnosis and management of intravascular catheter-related infections: 2009 update by the Infectious Disease Society of America. *Clin Infect Dis*. 2009;49(1):1-45.

O'Grady NP, Alexander M, Burns LA, et al.; Healthcare Infection Control Practices Advisory Committee. Guidelines for the prevention of intravascular catheter-related infections, 2011.
www.cdc.gov/hicpac/pdf/guidelines/bsi-guidelines-2011.pdf. Accessed August 20, 2013.

Raad II, Luna M., Khalil S, et al. The relationship between the thrombotic and infectious complications of central venous catheters. *JAMA*. 1994;271(13):1014-6.

Rupp M, Yu S, Huerta T, Costerton JW, Lam C, Bodey GP. Adequate disinfection of a split-septum needleless intravascular connector with a 5-second alcohol scrub. *Infect Control Hosp Epidemiol*. 2012;33(7):661-5.

Schallom ME, Prentice D, Sona C, Micek ST, Skrupky LP. Heparin or 0.9% sodium chloride to maintain central venous catheter patency: A randomized trial. *Crit Care Med*. 2012;40(6):1820-6.

The Joint Commission. 2013 National Patient Safety Goals.
www.jointcommission.org/standards_information/npsgs.aspx. Accessed August 20, 2013. //Author I updated this from 2012 to 2013 NPSG//

Webster J, Osborne S, Rickard C, New K. Clinically-indicated replacement versus routine replacement of peripheral venous catheters. *Cochrane Database Syst Rev*. 2013;4:CD007798.

A swift, decisive response to GI bleeding

Kodali BS, Overoi JS. Management of postoperative pain. Last updated July 29, 2013.
www.uptodate.com/contents/management-of-postoperative-pain. Accessed August 12, 2013.

Lexicomp Online. Ketorolac (systemic).
http://lexicomp.medicasur.com.mx/lco/action/doc/retrieve/docid/gdh_f/2151239. Accessed August 21, 2013.

Lexicomp Online. Paroxetine hydrochloride.
<http://lexicomp.medicasur.com.mx/lco/action/doc/retrieve/docid/429/1351721#interactions>. Accessed August 21, 2013.

Rockey DC. Major causes of upper gastrointestinal bleeding in adults. www.uptodate.com/contents/major-causes-of-upper-gastrointestinal-bleeding-in-adults. Accessed August 12, 2013.

Saltzman JR. Approach to acute upper gastrointestinal bleeding in adults. Last updated May 17, 2013. www.uptodate.com/contents/approach-to-acute-upper-gastrointestinal-bleeding-in-adults. Accessed August 12, 2013.

Special Report: Nursing, Technology, and Information Systems

Enabling the Ordinary: More time to care

Aiken LH, et al. Effects of nurse staffing and nurse education on patient deaths in hospitals with different nurse work environments. *Med Care*. 2011;49(12):1047-53.

Bolton LB, Gassert CA, Cipriano PF. Technology solutions can make nursing care safer and more efficient. *J Healthc Inf Manag*. 2008;22(4):24-30.

Cummings J, Bennett V. Compassion in practice: Nursing, midwifery and care staff: Our vision and strategy. December 2012. www.england.nhs.uk/wp-content/uploads/2012/12/compassion-in-practice.pdf. Accessed September 27, 2013.

Dowding DW, Currie LM, Borycki E, et al. International priorities for research in nursing informatics for patient care. *Stud Health Technol Inform*. 2013;192:372-6.

Evenstad L. Cameron announces £100m nurse tech fund. E-Health Insider. October 8, 2012. www.ehi.co.uk/news/ehi/8109/cameron-announces-%C2%A3100m-nursetech-fund. Accessed September 22, 2013.

Hamer S, Collinson G. *Achieving Evidence-Based Practice: A Handbook for Practitioners*. 2nd ed. Baillière Tindall; 2005.

Newport F. Congress retains low honesty rating. Nurses have highest honesty rating; car salespeople, lowest. December 3, 2012. www.gallup.com/poll/159035/congress-retains-low-honesty-rating.aspx. Accessed September 22, 2013.

Ploch T, Hamer S. Innovation more than an artefact? Conceptualizing the effects of drawing medicine into management. *Int J Healthcare Manag*. 2012;5(4):189-92.

Simpson RL. The softer side of technology: How it helps nursing care. *Nurs Adm Q*. 2004;28(4):302-5.

How nurses drive rapid electronic records implementation

Johnson L, DuSold D. Driving change through clinical informatics. Paper presented at: ANIA-Caring; 2012; Orlando, FL.

Johnson L, DuSold D. The purpose-driven clinical informatics leader: A behavioral analysis. Poster presented at ANIA-Caring; 2013; San Antonio, TX.

Using technology to make evidence-based staffing assignments

American Nurses Association. *ANA's Principles for Nurse Staffing*. 2nd ed. Silver Spring, Maryland: Author; 2012.

Caspers BA, Pickard B. Value-based resource management: a model for best value nursing care. *Nurs Adm Q*. 2013;37(2):95-104.

Creating value for patients for business success. *Leadership*. 2011;25-8. www.hfma.org/Content.aspx?id=3685 Accessed September 24, 2013.

Dent R, Bradshaw P. Building the business case for acuity based staffing. *Nurs Leader*. 2012;10(2):26-8. [www.nurseleader.com/article/S1541-4612\(11\)00341-7/abstract](http://www.nurseleader.com/article/S1541-4612(11)00341-7/abstract). Accessed September 24, 2013.

Garcia A. A patient acuity checklist for the digital age. *Nurs Manag*. 2013;44(8):22-4.