

Trauma-Informed Care Shouldn't Depend on a Good Day

How to Build a Trauma-Informed Toolkit You Can Actually Use

Maddison Fritz, MSN, RN, FNP-BC

Trauma-informed care is everywhere right now. It is in our conference agendas, our strategic plans, our annual training modules. And it should be. Trauma is a social determinant of health, it is often invisible, and it shapes how our patients move through the health care system long before they ever get to us. There is even a good argument that we should treat it like universal precautions. Enough people have experienced trauma that we should probably just extend these practices to everyone.

We know the buzzword. What we often do not have is the structure by which to meaningfully integrate the term into our practice.

A literature review of trauma-informed care integration in health care settings revealed how narrow most interventions were. Almost everything came down to two things: train the staff and screen the patients.

Screening is not automatically trauma-informed. If you ask someone to recount what happened to them, you can end up trampling the exact autonomy you were trying to protect and then leave them hanging and vulnerable. That is the antithesis of trauma-informed principles.

Training is important, but in isolation it tends to be vague principles people agree with while lacking specificity and actionable changes. We hand health care staff a set of principles and hope they survive a twelve-hour shift or a twenty-two patient clinic day. Education as the primary strategy has a bigger problem underneath it, too. It leaves the whole thing clinician-dependent. Whether it happens today rests on how much bandwidth one person has, and we were never designed to be superheroes. Any system that quietly expects us to be one will produce

wildly inconsistent care.

I work at a mobile community-based lifestyle medicine clinic that partners with community organizations to serve folks who face barriers to care, most of whom are uninsured or on Medicaid. Recognizing the trauma burden of our patient population, we asked a different question. How do we instill trauma-informed care into the bones of the system, so it does not rest on one person remembering one more thing?

What came out of that is a toolkit. A set of checklists, templates, processes, and scripts that has taken on a life of its own. If a resource-limited mobile clinic can do this, the changes are realistic almost anywhere. The pieces below work together, but you do not have to build all of them to start seeing a difference.

1. Environmental checklists, one per care setting

We started here because it is the most concrete. We mapped every space where care happens: the shared area for vitals and labs, the private appointment space, the class space, and our virtual and text-based touchpoints. Then we built a checklist for each one.

The adjustments themselves are small. Lighting that is not just harsh overhead. Seating patients so they can face the door. Tissues, unscented lotion, and fidgets available. A visible clock, always. White noise or low wordless music, which protects privacy and settles nervous systems at once. Nature imagery, even if it is just a painting when a plant is not feasible. Visual dividers while patients are getting weighed or having labs drawn, which adds privacy to a moment that can feel exposing.

If you take one thing from this arti-

cle, take this. A checklist built for your specific setting is the easiest place to start. It requires no permission and almost no budget.

2. Signage and resources that do the explaining for you

Good signage carries information so the clinician does not have to remember to say it. Ours includes a meet your care team board, so patients know who they are about to walk in on. Your body, your choice messaging, reminding people everything is optional. Grounding practices on the wall. And step-by-step visual guidance for intake, so on day one a patient walks in and sees exactly where to sit and what steps one through four are.

The same logic applies to resources. Nobody should have to disclose anything to get one, so we keep a take-one station stocked with support for folks who may not be safe at home, for trauma and stress, for mental health needs, for food access, and for counseling referrals.

This one was a surprise in our practice. Frequently patients will disclose nothing, and then quietly pick up two things off that table on their way out.

3. Screening that respects autonomy, paired with a response plan

Screening patients can be a mixed bag. The literature points toward supporting autonomy with opt-outs for self-disclosure and tying screening to a response plan rather than forcing responses or asking a potentially retraumatizing inventory of events. Keep it short and make every response skippable.

Ours asks whether someone feels

safe at home, and whether something has happened that harmed their body or mind or threatened their life, framed broadly enough to cover a single event, a series of events, or a set of circumstances. If patients say yes or maybe, we ask on a scale of one to ten how much it is still affecting their daily life and roles. There is a place to tell us anything they want the care team to know. And then the question that has turned out to matter most:

Are there things in health care settings that tend to make you feel anxious, overwhelmed, unsafe, or out of control, and what helps you feel safer, more respected, or more in control instead?

Notice we never ask what happened. Every question can be skipped, and every one has a not sure or maybe option alongside prefer not to answer. Those middle options do real work, because they let us treat the answer as a yes without requiring anyone to say it out loud. What patients tell you about their own safety is specific, practical, and easy to honor once you know it.

Then we built the tiered response behind it. A patient reporting a nine gets a different response than someone reporting a three. Patients who prefer not to answer are respected and treated with dignity, and, more often than not, they tell us later, in person, when they are ready.

4. Documentation that carries it forward

None of this works for the patient if it lives only in one clinician's memory. So the screening answers auto-populate at the top of every note, and underneath we added a Trauma-Informed Considerations section. It opens with standard language confirming that the visit used universal trauma precautions, that screening was voluntary, that pacing and environment were adapted, that the patient could

decline any part of the visit, and that mental health and crisis resources were offered routinely.

Then the clinician adds a sentence or two specific to that visit: how pacing was adjusted, what was asked directly versus held back, who was in the room, what changed about the exam. Over time this creates a trauma-informed continuity of care. The patient does not have to re-explain themselves every visit, and the next person picking up their chart already knows.

5. Scripting for the repeated moments

There are certain moments we repeat dozens of times a week. Vitals. Labs. The start of a class. Rather than telling staff to communicate in a trauma-informed way and leaving it there, we wrote actual scripts. It keeps things consistent across clinicians, locations, and whoever is leading that day, and it means a newer team member is not improvising through the hardest parts.

6. Training tied to something real, plus microlearnings

We did a full team training, then kept going with weekly microlearnings. The key move was pairing each one with a piece of the system it connects to. When we covered adverse and benevolent childhood experiences as predictors of health, we tied it directly to the documentation prompt about talking with patients about their strengths.

That is the difference between education that evaporates and education that lands. People are not being asked to hold sixteen abstract things in their head. They are being handed a touchstone that already exists in their workflow.

We also rebuilt our nurse-led health class curriculum so patients learn how trauma affects the body, appetite, stress, and dopamine. That content has resonated across every-

thing we teach, because it lets patients become agents in their own healing instead of passive recipients of it.

Unexpected outcomes

An environmental checklist was the first thing proposed. What resulted was much more. Staff strategized how it would work in each space, identified gaps in privacy and visual direction that had gone unnoticed, and turned a checklist into a healing space.

They also took the principles of collaboration and of empowerment, voice, and choice, and drafted a class agreements framework that sets the tone at the start of our health classes. Nobody asked them to. They leaned into the resilience and neuroplasticity side of this and built it into the patient-facing tools.

This is the argument for trauma-informed systems in a nutshell. When you give people structure instead of just principles, they do not do the bare minimum with it. They build on it. A checklist gave them somewhere to put their expertise, and they brought life and color to it in ways that a single clinician could not have accomplished alone.

You measure what matters to you

If we believe trauma-informed systems change how safe patients feel and how equipped they are to manage their own health, then we need instruments that can actually show it.

The Organizational Trauma Resilience Assessment offers patient-facing and staff-facing metrics that reflect the organization's actual level of trauma-informed practice, not just our perception of it. The Patient Activation Measure, or PAM-13, tracks a patient's confidence and skill in managing their health over time.

Adding the ability to measure effectiveness is what moves this from a nice initiative to something you can defend, sustain, and hand off.

What it looks like in the room

As a nurse practitioner in this clinic, I watch patients interact with these changes in real time. I watch their eyes track to the signage. I watch fingers reach for a fidget nobody told them was there. I watch people who disclose absolutely nothing still browse the resource table and take one or two things with them.

I feel the weight lift in a room when I acknowledge the specific thing that makes someone feel safe, or when we connect the dots between something they lived through and how it is showing up in their body now.

Recently a patient who had answered not sure on the screener but rated her experiences as impacting her at a nine out of ten, looked at me with tears in her eyes and said, "This has been a night and day difference from my other health care experiences. Thank y'all for going out of your way to make this safe."

What she did not know is that I was

not going out of my way. The safety she felt was not something I summoned in the moment or carried on my own shoulders. It was already in the room before she walked in: the seating, the signage, the question already answered on her chart, the resources on the table. I was set up for success in caring for her, which meant she was set up for success in healing.

That is the whole point. She should get that visit whether I am having a great day with plenty of bandwidth, or a hard day where I am short on time and running behind.

Where to start tomorrow

You may not be able to remodel your patients' rooms or change your note templates this week. Start smaller.

Move what you can in the room. Position the patient facing the door. Make sure they can see a clock. Get some light in there that is not just overhead.

Ask the question. "Has anything made

you feel stressed or unsafe in a health care setting, and is there anything I can do to help you feel safer today?" It costs nothing, takes ten seconds, and gets at the core of this.

Name what you are already doing. Nurses do trauma-informed things constantly without documenting them. Start writing them down and you start defining the category.

Slip trauma into teaching you already do. It intersects with almost everything we educate on, from diabetes to chronic disease management. A short microlearning tied to practice could live in a unit newsletter or a huddle.

If the goal of health care is actually healing, then how we deliver care matters as much as what we deliver. Building trauma-informed systems rather than relying on trauma-informed individuals is how we make sure that healing shows up for every patient, on every day, no matter who is on shift. ■

2026-2027

Elevate Your Nursing Journey


Expert insights start here.

Each year, *American Nurse Journal* curates essential content for nurse education and careers.

This year's guide features articles on the **holistic nursing**, **innovation in nursing education**, and **WOCNB® pathways to certification and recertification**. Other featured topics include virtual pediatric nursing and conference planning.

EDUCATION & CAREER GUIDE

CAREER AND
PROFESSIONAL
DEVELOPMENT ADVICE



DOWNLOAD
YOURS TODAY!

AMERICAN
NURSE